





// CONEXIONES

FICHA TECNICA









Cono 15° $\varnothing 442$ mm
 15° hopper $\varnothing 442$ mm
 Cône 15° $\varnothing 442$ mm

S/E

COD: G02003021001







Cono metálico galvanizado dos salidas para 0
Galvanized metallic double outlet hopper, 0
Cône métallique et galvanisé, deux sorties, 0

vy 30 v
vand 30 v
vet 30 v

S/E

COD: G02003025001







- Con tajadera galvanizada y vierteaguas inoxidable
- With galvanized slide shield and SS flashing
- Avec trappe guillotine galvanisé et rejet d'eau inoxydable



ADAPTACIÓN GALVANIZADA SILO GRANJA 240x240mm Ov
 GALVANIZED METALIC ADAPTATION FEED SILOS 240x240mm Ov
 ADAPTATION MÉTALLIQUE ET GALVANISÉ SILO DE FERME 240x240mm Ov

S/E

COD: G02003027001






- Con tajadera galvanizada y vierteaguas inoxidable
- With galvanized slide shield and SS flashing
- Avec trappe guillotine galvanisé et rejet d'eau inoxydable



ADAPTACIÓN GALVANIZADA SILO GRANJA 240x240mm 30v
 GALVANIZED METALIC ADAPTATION FEED SILOS 240x240mm 30v
 ADAPTATION MÉTALLIQUE ET GALVANISÉ SILO DE FERME 240x240mm 30v

S/E

COD: G02003027002



Collar galvanizado de adaptación universal Ø445 mm
 Universal adapter collar Ø445 mm
 Collier d'adaptation universel Ø445 mm

S/E

COD: 31G700030A030

www.symaga.com
symaga@symaga.com

Bureaux et usine
Ctra. de Arenas, km. 2,300
13210 Villarta de San Juan
Ciudad Real - Espagne
T: +34 926 640 475

